A/UIC INSPECTION REPORT

Inspection Type reg.	Inventory No. 2425
Inspection Frequency status	Authorization
Violation Code	Authorized to Inject
Company/Operator TWB	
Business Address 1.5 E. 15 st.	Tulsa, OK 74/03
	PapeTitle
Lease Name' & Well No	
Legal Description (b) (9)	
Well Information: SWD/ER, Active/TA	(FEA)
Authorized Injection	: Pressure Rate
Long String Casing S	size 65 w 5.5 hTubing Size
Report of Conditions as of this Date:	
(AT)	ell hooked up for injection: Yes
Injecting at time of inspection: Yes	(AS)
	ng/tubing annulus: Yes/No (Not Applicable
Injection Pressure	. How Determined
Annular Pressure	; How Determined ; How Determined
Well plugged at Surface: Mes No/Under Samples Taken	Photographs Taken
deal and a second a	•
Description of wellhead hookup and in	
Pd F, pit needs filled.	WECEIAED_
	JAN 1 8 1990.
	EPA 6W-S
	REGION VI
Weather Conditions and Observations	his the mattered month with
Weather Conditions and Observations_	twee Two slaved hill:
- col 10 mg/ 1111) document	The state of the s
Inspection Date 0//13/90 Time Arri	ved 1440 Departed 1450
Field Inspector & farmer Entro	beparted_7790
EPA Reviewer	Date

UNITED STATES

DEPARTMENT OF THE INTERIOR

OSASE INDIAN ASENCY PAWHUSKA, OKLAHOMA 74056

Date 11-30-89

UIC/EPA

APPLICATION FOR OPERATION OR REPORT ON WELLS

DEC 07 1989

(Commencement money paid to whom)	(Date) (Amount)
Well No.	
	Deage County, Oklahoma.
The elevation of the { surface deprick floor above sea level is 660	
· (degree stose;)	, enu 2425
USE THIS SIDE TO REQUEST AUTHORITY FOR WORK (three copies required)	USE THIS SIDE TO REPORT COMPLETED WORK (one copy required)
Notice of intention to:	Character of well (whether oil, gas or dry)
Drill	Subsequent report of:
Decree or plus back	· Conversion
Convert	Formation treatment
Pull or alter casing	Plugging back
	Plugging
Details of Work	Details of Work & Results Obtained
Drilling applications will state proposed TD & Horizons to be	Run thg & placed cmt plug from 1520' to 1000'
tested. Show size & length of casings to be used. Indicate pro-	(50 sacks). Squeeze additional 30 sks into open hole formation @ 1243' to 1520'. Fill cs
posed mudding, cementing & other work. Plugging applications shall set forth reasons for plugging &	
detailed statement of proposed work. Plugging will not com-	350'. Perf 4 holes @ 350'. Circ cmt out of
mence until 10 days following approval date unless authority	6-5/8". Squeeze cmt to surface (140 sacks).
granted for earlier commencement.	220 sacks total. Cut csg off 3' below ground
Well production prior to work	level & weld on steel plate.
bbls. onbbls. wtr./24 hra.	Work commenced 11-16 19 89
RECFIVED	Work completed
MECLIACO	(Continue on reverse side af necessary)
JAN 1 8 1990	This block for plugging information only CASING RECORD
EPA 6W-S	Size In hole when Amount If parted started recovered Depth How
REGION VI	started recovered Depth How
20 20 00 00 00 00 00 00 00 00 00 00 00 0	
I understand that this plan of work must receive approval in writing of the Osage Indian Agency before operations may be commenced.	ORIGINAL TOTAL DEPTH
Lessee:	Lessee: Oklahoma Silurian Partners
Lence.	
Signature:	Signature
Title:	Subscribed and sworn to before me
	the 5th day of December 1989
Address:	Notary Public
Approved:Osage Agency Inspector	My commission expires 9/16/92
Orage victory respective	My commission expires

dmiq0 EPA/UIC INSPECTION REPOR

ACNE)

Inspection Type requ	Inventory No. 2425
Inspection Frequency status	Authorization
Violation Code	Authorized to Inject
Company/Operator TWB	
Business Address 15 E. 15th st.	Tulsa, OK 74103
Individual Contacted Smith	PapeTitle
Lease Name' & Well No	
Legal Description_(b)(9)	
Well Information: SWD/ER, Active/TA	PEA
Authorized Injection	: Pressure Rate
Long String Casing S	Size 65 w 55 Frobing Size
Depart of Conditions as of this Date:	
Report of Conditions as of this Date:	11 booked up for injection. Yes W
Water Control of the	ell hooked up for injection: Yes/No
Injecting at time of inspection: Yes	
	g/tubing annulus: Yes/No/Not Applicable
Injection Pressure	; How Determined Pd-H
Annular Pressure	; How Determined ; How Determined
Well plugged at Surface: Yes/No/Unde	
Samples Taken	Photographs Taken
Description of wellhead hookup and in	The state of the s
PAH, git needs filled.	
<u>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</u>	
Weather Conditions and Observations_	high this scattered, north side
at 10 mph, 440 to forated he	etween two placed field.
Inspection Date 0//19/90 Time Arri	ved 1440 Departed 1450
Field Inspector Charge E. Bern	RECEIVED
EPA Reviewer Parald Can Like	Date 1-17-90
1	

Osage UIC Program, P.O. Box 1495, Pawhuska, Oklahoma 74056 918-287-4041